

# Online tracking: A 1-million-site measurement and analysis

## Draft: May 18, 2016

Steven Englehardt  
Princeton University  
ste@cs.princeton.edu

Arvind Narayanan  
Princeton University  
arvindn@cs.princeton.edu

### Abstract

We present the largest and most detailed measurement of online tracking conducted to date, based on a crawl of the top 1 million websites. We make 15 types of measurements on each site, including stateful (cookie-based) and stateless (fingerprinting-based) tracking, the effect of browser privacy tools, and the exchange of tracking data between different sites (“cookie syncing”). Our findings include multiple sophisticated fingerprinting techniques never before measured in the wild.

This measurement is made possible by our web privacy measurement tool, OpenWPM, which uses an automated version of a full-fledged consumer browser. It supports parallelism for speed and scale, automatic recovery from failures of the underlying browser, and comprehensive browser instrumentation. OpenWPM is open-source<sup>1</sup> and has already been used as the basis of seven published studies on web privacy and security.

## 1 Introduction

Web privacy measurement — observing websites and services to detect, characterize and quantify privacy-impacting behaviors — has repeatedly forced companies to improve their privacy practices due to public pressure, press coverage, and regulatory action [5, 13]. On the other hand, web privacy measurement presents formidable engineering and methodological challenges. In the absence of a generic tool, it has been largely confined to a niche community of researchers.

We seek to transform web privacy measurement into a widespread practice by creating a tool that is useful not just to our colleagues but also to regulators, self-regulators, the press, activists, and website operators, who are often in the dark about third-party tracking on their own domains. We also seek to lessen the burden

of *continual* oversight of web tracking and privacy, by developing a robust and modular platform for repeated studies.

Our tool, **OpenWPM** (Section 3), solves three key systems challenges faced by the web privacy measurement community. It does so by building on the strengths of past work, while avoiding the pitfalls made apparent in by previous engineering efforts. (1) We achieve scale through the parallelism and robustness by utilizing isolated measurement processes similar to FPDetective’s platform [2], while still supporting stateful measurements. We’re able to scale to 1 million sites, without having to resort to a stripped-down browser [29] (a limitation we explore in detail in Section 3.2). (2) We provide comprehensive instrumentation by building upon the rich browser extension instrumentation of FourthParty [32], without requiring the researcher to write their own automation code. (3) We reduce duplication of work by providing a modular architecture to enable code re-use between studies.

Solving these problems is hard because the web is not designed for automation or instrumentation. Selenium,<sup>2</sup> the main tool for automated browsing through a full-fledged browser, is intended for developers to test their *own* websites. As a result it performs poorly on websites not controlled by the user and breaks frequently if used for large-scale measurements. Browsers themselves tend to suffer memory leaks over long sessions. In addition, *instrumenting* the browser to collect a variety of data for later analysis presents formidable challenges. For full coverage, we’ve found it necessary to have three separate measurement points: a network proxy, a browser extension, and a disk state monitor. Further, we must link data collected from these disparate points into a uniform schema, duplicating much of the browser’s own internal logic in parsing traffic.

OpenWPM is a mature open-source tool that has

<sup>1</sup><https://github.com/citp/OpenWPM>

<sup>2</sup><http://www.seleniumhq.org/>

already been used to provide the measurements of seven published studies since 2014 (Section 3.3). These studies have already led to improvements and fixes to privacy and security. These experiments performed in these studies have crucially benefited from several advanced features of OpenWPM such as the ability to automatically log into websites using specified credentials. Using these case studies, we show in detail how OpenWPM’s capabilities enable quickly designing and running an experiment (Section 3.2).

**A large-scale view of web tracking and privacy.** Since June 2015 we have been conducting regular measurements of online tracking, incrementally adding features and fixing scale bottlenecks. The results we report in this paper (Section 4) are all based on our January 2016 measurement of the top 1 million sites. In future work, we will publish additional analyses of the evolution of tracking and privacy over time.

Our scale enables a variety of new insights. We observe for the first time that online tracking has a “long tail”, but we find a surprisingly quick drop-off in the scale of individual trackers: trackers in the tail are found on very few sites (Section 5.1). Using a new metric for quantifying tracking (Section 5.2), we find that the tracking-protection tool Ghostery (<https://www.ghostery.com/>) is effective, with some caveats (Section 5.5). We quantify the impact of trackers and third parties on HTTPS deployment (Section 5.3) and show that cookie syncing is pervasive (Section 5.6).

Turning to browser fingerprinting, we revisit an influential 2014 study on canvas fingerprinting [1] with updated and improved methodology (Section 6.1). Next, we report on several types of fingerprinting never before measured at scale: font fingerprinting using canvas (which is distinct from canvas fingerprinting; Section 6.2), and fingerprinting by abusing the WebRTC API (Section 6.3), the AudioContext API (Section 6.4), and the Battery Status API (6.5). Finally, we show that in contrast to our results in Section 5.5, existing privacy tools are *not* effective at detecting these newer and more obscure fingerprinting techniques.

Overall, our results show cause for concern, but also encouraging signs. In particular, several of our results suggest that while online tracking presents few barriers to entry, trackers in the tail of the distribution are found on very few sites and are far less likely to be encountered by the average user. Those at the head of the distribution, on the other hand, are owned by relatively few companies and are responsive to the scrutiny resulting from privacy studies.

We envision a future where measurement provides a key layer of oversight of online privacy. This will be especially important given that perfectly anticipating and preventing all possible privacy problems (whether

through blocking tools or careful engineering of web APIs) has proved infeasible. To enable such oversight, we plan to make all our data publicly available (OpenWPM is already open-source). We expect that measurement will be useful to developers of privacy tools, to regulators and policy makers, journalists, and many others.

## 2 Background and related work

**Background: third-party online tracking.** As users browse and interact with websites, they are observed by both “first parties,” which are the sites the user visits directly, and “third parties” which are typically hidden trackers such as ad networks embedded on most web pages. Third parties can obtain users’ browsing histories through a combination of cookies and other tracking technologies that allow them to uniquely identify users, and the “referrer” header that tells the third party which first-party site the user is currently visiting. Other sensitive information such as email addresses may also be leaked to third parties via the referrer header.

**Web privacy measurement platforms.** There are two main ways to collect large-scale data for web privacy measurement: crowd-sourcing and simulating users, i.e., running bots. Our focus is on the latter type, but there are many similarities between the two types of studies.

The closest comparisons to OpenWPM are other open web privacy measurement platforms, which we now review. We consider a tool to be a platform if it is publicly available and there is some generality to the types of studies that can be performed using it. In some cases, OpenWPM has directly built upon existing platforms, which we make explicit note of.

*FPDetective* is the most similar platform to OpenWPM. *FPDetective* uses a hybrid PhantomJS and Chromium based automation infrastructure [2], with both native browser code and a proxy for instrumentation. In the published study, the platform was used for the detection and analysis of fingerprinters, and much of the included instrumentation was built to support that. The platform allows researchers to conduct additional experiments by replacing a script which is executed with each page visit, and the authors state the platform can be easily extended for non-fingerprinting studies.

OpenWPM differs in several ways from *FPDetective*: (1) it supports both stateful and stateless measurements, whereas *FPDetective* only supports stateless (2) it includes generic instrumentation for both stateless and stateful tracking, enabling a wider range of privacy studies without additional changes to the infrastructure (3) none of the included instrumentation requires native browser code, making it easier to upgrade to new or different versions of the browser, and (4) OpenWPM uses

a high-level command-based architecture, which allows purpose built commands to be re-used between studies.

*Chameleon Crawler* is a Chromium based crawler that utilizes the Chameleon<sup>3</sup> browser extension for detecting browser fingerprinting. Chameleon Crawler uses similar automation components, but supports a subset of OpenWPM’s instrumentation.

*FourthParty* is a Firefox plug-in for instrumentation and does not handle automation [32]. OpenWPM has incorporated and expanded upon nearly all of FourthParty’s instrumentation within its own extension (Section 3).

*TrackingObserver* is a Chrome extension that detects tracking and exposes APIs for extending its functionality such as measurement and blocking [46].

*XRay* is a platform for *differential correlation*: inferring input-output relationships in any personalized web service [26]. XRay handles the analysis phase of web privacy measurement in a generic way, but not driving the browser or instrumentation. This is precisely the converse of OpenWPM, suggesting the exciting possibility of using the two tools in concert to achieve an even greater degree of generic automation.

*AdFisher* is a tool for running automated experiments on personalized ad settings [8]. It contains a barebones automation framework with similar components as ours (Selenium, xvfb), but the key technology is a machine-learning system for causality attribution. Again there is the possibility of running OpenWPM’s automation and instrumentation together with AdFisher’s analytic component.

*WebXray* is a PhantomJS based tool for measuring HTTP traffic [29]. It has been used to study third-party inclusions on the top 1 million sites, but as we show in Section 3.1, measurements with a stripped-down browser have the potential to miss a large number of resource loads.

Several research groups have built or deployed crowd-sourcing platforms for web privacy measurement, including \$heriff and Bobble [34, 60]. Some challenges here include providing value to users to incentivize participation, participant privacy, etc.

**Previous findings.** Krishnarmurthy and Wills [23] provide much of the early insight into web tracking, showing the growth of the largest third-party organizations from 10% to 20-60% of top sites between 2005 and 2008. Roesner et al. provide a classification framework for third-party domains, arguing “it is incorrect to bundle together different classes of trackers”, such as cross-site trackers and analytics trackers [47]. In the years following Krishnarmurthy’s measurements, studies show a continual increase in third-party tracking and in the di-

versity of tracking techniques [1, 2, 4, 19, 32, 47]. More recently, Libert studies third-party HTTP requests on the top 1 million sites [29], providing view of tracking across the web. In this study, Libert compiled a comprehensive mapping of third-party domains to organizations, showing that Google can track users across nearly 80% of sites through its various third-party domains.

Web tracking has expanded from simple HTTP cookies to include more persistent tracking techniques. Soltani et al. first examined the use of flash cookies to “respawn” or re-instantiate HTTP cookies [50], and Ayenson et al. showed how sites were using cache E-Tags and HTML5 localStorage for the same purpose [6]. These discoveries led to media backlash [28, 35] and legal settlements [9, 49] against the companies participating in the practice. However, several follow up studies by other research groups confirmed that, despite a reduction in usage (particularly within the US), the technique is still used for tracking [1, 33, 47].

Device fingerprinting is a persistent tracking technique which does not require a tracker to set any state in the user’s browser. Instead, trackers attempt to identify users by a combination of the device’s properties. Within samples of over 100,000 browsers, 80-90% of desktop and 81% of mobile devices have a unique fingerprint [10, 25]. New fingerprinting techniques are continually discovered [14, 36, 41], and are subsequently used to track users on the web [1, 2, 39]. In Section 6.1 we present several new fingerprinting techniques discovered during our measurements.

**Personalization measurement.** Measurement of tracking is closely related to measurement of personalization, since the question of what data is collected leads to the question of how that data is used. The primary purpose of online tracking is behavioral advertising — showing ads based on the user’s past activity. Datta et al. highlight the incompleteness of Google’s Ad Settings transparency page and provide several empirical examples of discriminatory and predatory ads [8]. Lécuyer et al. develop XRay, a system for inferring which pieces of user data are used for personalization [26]. Another system by some of the same authors is Sunlight which improves upon their previous methodology to provide statistical confidence of their targeting inferences [27].

Many other practices that raise privacy or ethical concerns have been studied: *price discrimination*, where a site shows different prices to different consumers for the same product [18, 58]; *steering*, a gentler form of price discrimination where a product search shows differently-priced results for different users [31]; and the *filter bubble*, the supposed effect that occurs when online information systems personalize what is shown to a user based on what the user viewed in the past [60].

**Web security measurement.** Web security studies of-

<sup>3</sup><https://github.com/ghostwords/chameleon>

ten use similar methods as web privacy measurement, and the boundary is not always clear. Yue and Wang modified the Firefox browser source code in order to perform a measurement of insecure Javascript implementations on the web [61]. Nikiforakis et al. utilized a headless browser to measure the amount of third-party Javascript inclusions across many popular sites and the vulnerabilities that arise from how the script is embedded [38]. Van Goethem et al. likewise used a headless browser to measure the presence of security seals on the top 1 million sites [57]. Zarras et al. used Selenium to drive crawls that measured and categorized malicious advertisements displayed while browsing popular sites [62]. Rafique et al. also used a Selenium-based crawler to measure the presence of malware and other vulnerabilities on live streaming websites [44]. Other studies have analyzed Flash and Javascript elements of webpages to measure security vulnerabilities and error-prone implementations [40, 56].

### 3 Measurement Platform

An infrastructure for automated web privacy measurement has three components: simulating users, recording observations (response metadata, cookies, behavior of scripts, etc.), and analysis. We set out to build a platform that can automate the first two components and can ease the researcher’s analysis task. We sought to make OpenWPM general, modular, and scalable enough to support essentially any privacy measurement.

#### 3.1 Design and Implementation

We divided our browser automation and data collection infrastructure into three main modules: *browser managers* which act as an abstraction layer for automating individual browser instances, a user-facing *task manager* which serves to distribute commands to browser managers, and a *data aggregator*, which acts as an abstraction layer for browser instrumentation. The researcher interacts with the task manager via an extensible, high-level, domain-specific language for crawling and controlling the browser instance. The entire platform is built using Python and Python-compatible libraries.

**Browser driver: Providing realism and support for web technologies.** We considered a variety of choices to *drive* measurements, i.e., to instruct the browser to visit a set of pages (and possibly to perform a set of actions on each). The two main categories to choose from are lightweight browsers like PhantomJS (an implementation of WebKit), and full-fledged browsers like Firefox and Chrome. We chose to use Selenium, a cross-platform web driver for Firefox, Chrome, Internet Explorer, and




Figure 1: High-level overview of OpenWPM

The task manager monitors browser managers, which convert high-level commands into automated browser actions. The data aggregator receives and pre-processes data from instrumentation.

PhantomJS. We currently use Selenium to drive Firefox, but Selenium’s common interface into all browsers makes it easy to support other browsers in the future.

By using a consumer browser, all technologies that a typical user would have access to (e.g., HTML5 storage options, Adobe Flash) are also supported by measurement instances. The alternative, PhantomJS, does not support WebGL, HTML5 Audio and Video, CSS 3-D, and browser plugins (like Flash), making it impossible to run measurements on the use of these technologies [43].

In retrospect this has proved to be a sound choice. Without full support for new web technologies we would not have been able to discover and measure the use of the `AudioContext` API for device fingerprinting as discussed in Section 6.4.

We can quantify the loss of coverage if we were to use a stripped-down browser. A recent study that used PhantomJS to visit the Alexa top 1 million sites found a total of roughly 35 million requests to 21 million resources [29]. By contrast, in our top 1 million site measurement, we find a total of roughly 90 million requests to 68 million resources. We further study the completeness of OpenWPM in Section 3.2.

Finally the use of real browsers also allows us to test the effects of consumer browser extensions. We support running measurements with extensions such as Ghostery and HTTPS Everywhere as well as enabling Firefox privacy settings such third-party cookie blocking and the new Tracking Protection feature. New extensions can easily be supported with only a few extra lines of code. See Section 5.3 and Section 5.5 for analyses of measurements run with these browser settings.

**Browser managers: Providing stability.** During the course of a long measurement, a variety of unpredictable events such as page timeouts or browser crashes could halt the measurement’s progress or cause data loss or corruption. A key disadvantage of Selenium is that it frequently hangs indefinitely due to its blocking API [48],

as it was designed to be a tool for webmasters to test their own sites rather than an engine for large-scale measurements. Browser managers provide an abstraction layer around Selenium, isolating it from the rest of the components.

Each browser manager instantiates a Selenium instance with a specified configuration of user preferences, such as blocking third-party cookies. It is responsible for converting high-level platform commands (e.g. visiting a site) into specific Selenium subroutines. It encapsulates per-browser preferences and state, enabling recovery from browser failures. To isolate failures, each browser manager runs as a separate process.

We support launching measurement instances in a “headless” container, enabling greater parallelization due to lower memory consumption and deploying measurements on remote machines. Full browsers have no headless option as they are built for graphical user interaction. To solve this problem, we use the `pyvirtualdisplay` tool to interface with `Xvfb`, which draws the graphical interface of the browser to a virtual frame buffer. They retain the ability to easily generate screenshots of rendered sites when necessary.

**Task manager: Providing scalability and abstraction.** The task manager provides a scriptable command-line interface for controlling multiple browsers simultaneously. Commands can be distributed to browsers either synchronized or first-come-first-serve. Each command is launched in a per-browser command execution thread.

The command-execution thread handles errors in its corresponding browser manager automatically. If the browser manager crashes, times out, or exceeds memory limits, the thread enters a crash recovery routine. In this routine, the manager archives the current browser profile, kills all current processes, and loads the archive (which includes cookies and history) into a fresh browser with the same configuration options.

**Data Aggregator: Providing repeatability.** To promote scientific rigor, the platform should enable researchers to easily reproduce experiments. This can be achieved by logging data in a standardized format, so research groups can easily share scripts and data. To support logging in a standard schema, we use data aggregation components to gather results from all instrumentation components in a central and structured location. The data aggregator receives data during the measurement, manipulates it as necessary, and saves it on disk keyed back to a specific page visit and browser. The aggregator exists within its own process, and is accessed through a socket interface which can easily be connected to from any number of browser managers or instrumentation processes.

We currently support two data aggregators: a structured SQLite aggregator for storing relational data and

a LevelDB aggregator for storing compressed web content. The SQLite aggregator stores the majority of the measurement data, including data from both the proxy and the extension (described below). The LevelDB aggregator is designed to store de-duplicated web content, such as Javascript or HTML files. The aggregator checks if a hash of the content is present in the database, and if not compresses the content and adds it to the database. The hash can be used as a key to access the content during analysis and to link it with data in the SQLite database (such as an HTTP response).

In comparison to client-server databases, local databases do not require end-user setup of a database server and enable researchers to easily share self-contained files. However, the use of socket connections in both aggregators simplify the process of migrating to other server-based solutions such as MySQL or cloud hosted databases as studies grow in scale.

**Instrumentation: Supporting compatibility and modularity.** We provide the researcher with data access at several points: (1) raw data on disk, (2) at the network level with an HTTP proxy, and (3) at the Javascript level with a Firefox extension. This provides nearly full coverage of a browser’s interaction with the web and the system. Each level of instrumentation keys data with the top level site being visited and the current browser id, making it possible to combine measurement data from multiple instrumentation sources for each page visit.

*Disk Access* — We include instrumentation that collects changes to Flash LSOs and the Firefox cookie database after each page visit. This allows a researcher to determine which sites and third parties are setting Flash cookies, and to record access to cookies in the absence of an HTTP proxy or Firefox extension.

*HTTP Data* — After examining several Python based HTTP proxies, we chose to use Mitmproxy (<https://mitmproxy.org/>) to record all HTTP Request and Response headers. We generate and load a certificate into Firefox to capture HTTPS data alongside HTTP. Additionally, we use the HTTP proxy to dump the content of any Javascript file requested during a page visit.

Javascript files are detected by first checking if the `Content-Type` header contains the string “`javascript`”, and if not, by checking the file extension of the URL path. Once a script is detected, it is decompressed (if necessary) and hashed. The hash and content are sent through a socket to the LevelDBAggregator for de-duplication.

*Javascript Access* — We provide the researcher with a Javascript interface to pages visited through a Firefox extension. Our extension builds on the work of Fourthparty [32]. In particular, we utilize Fourthparty’s Javascript instrumentation, which defines custom getters and setters on the `window.navigator` and `window.screen`

interfaces<sup>4</sup>. We updated and extended this functionality to record access to the prototypes of the `Storage`, `HTMLCanvasElement`, `CanvasRenderingContext2D`, `RTCPeerConnection`, `AudioContext` objects, as well as the prototypes of several children of `AudioNode`. This records the setting and getting of all object properties and calls of all object methods for any object built from these prototypes. Alongside this, we record the new property values set, and the arguments to all method calls.

In addition to recording access to instrumented objects, we record the URL of the script responsible for the property or method access. To do so, we throw an Error and parse the stack trace after each call or property intercept. This method is successful for 99.9% of Javascript files we encountered, and even works for Javascript files which have been minified or obfuscated with `eval`. A minor limitation is that the function calls of a script which gets passed into the `eval` method of a second script will have their URL labeled as the second script. This method is adapted with minor modifications from the Privacy Badger Firefox Extension<sup>5</sup>.

We also replace Fourthparty’s direct SQLite logging with a socket-based solution logging to our SQLite DataAggregator. This eliminates the need to merge databases post-measurement and makes data management significantly easier for multi-browser measurements.

**Workflow.** As an example workflow, the researcher issues a command to the task manager and specifies that it should synchronously execute on all browser managers. The task manager checks all of the command execution threads and blocks until all browsers are available to execute a new command. Then it creates new command execution threads for all browsers and sends the command and command parameters over a pipe to the browser manager process. The browser manager interprets this command and runs the necessary Selenium code to execute the command in the browser. If the command is a “Get” command, which causes the browser to visit a new domain, the browser manager distributes the browser id and top-level page being visited to all current instrumentation. The instrumentation uses this information to properly key data for the new page visit. Once the Selenium code returns, the browser manager can send returned data (e.g. the parsed contents of a page) to the SQLite aggregator. All instrumentation is also simultaneously sending data to the respective aggregators from separate threads or processes. Once the command is complete, the browser manager notifies the task manager that it is ready for a new command.

<sup>4</sup>In the latest public version of Fourthparty (May 2015), this instrumentation is not functional due to API changes.

<sup>5</sup><https://github.com/EFForg/privacybadgerfirefox>

## 3.2 Evaluation

We now evaluate OpenWPM’s stability, completeness, performance, and generality. In Section 3.3 we look at several studies which have used our platform to conduct multiple large-scale experiments.

**Stability.** We tested the stability of vanilla Selenium without our infrastructure in a variety of settings. The best average we were able to obtain was roughly 800 pages without a freeze or crash. Even in small-scale studies, the lack of recovery led to loss or corruption of measurement data. Using the isolation provided by our browser manager and task manager, we recover from all browser crashes and have observed no data corruption during stateful measurements of 100,000 sites. During the course of our stateless 1 million site measurement in January 2016 (Section 5), we observe over 90 million requests and nearly 300 million Javascript calls. A single OpenWPM browser can visit around 3500 sites per day, requiring no manual interaction during that time. This represents a significant improvement over the 800 page limit mentioned previously. The scale and speed of the overall measurement depends on the hardware used and the measurement configuration (See “Resource Usage” below).

**Completeness.** OpenWPM reproduces a human user’s web browsing experience since it uses a full-fledged browser. However, researchers have often used stripped-down browsers such as PhantomJS for studies, trading off fidelity for speed and simplicity.

To test the importance of using a full-fledged browser, we examined the differences between OpenWPM and PhantomJS (version 2.1.1) on the top 100 Alexa sites. We averaged our results over 6 measurements of each site with each tool. Both tools were configured with a time-out of 10 seconds and we excluded a small number of sites that didn’t complete loading.

Unsurprisingly, PhantomJS does not load Flash, HTML5 Video, or HTML5 Audio objects (which it does not support); OpenWPM loads nearly 300 instances of those across all sites. More interestingly, PhantomJS loads about 30% fewer HTML files, and about 50% fewer resources with plain text and stream content types. Upon further examination, one major reason for this is that many sites don’t serve ads to PhantomJS. This makes tracking measurements using PhantomJS problematic.

We also tested PhantomJS with the user-agent string spoofed to look like Firefox, so as to try to prevent sites from treating PhantomJS differently. Here the differences were less extreme, but still present (10% fewer requests of html resources, 15% for plain text, and 30% for stream). However, many sites (such as `dropbox.com`) seem to break when PhantomJS presents the incorrect user-agent string. This is because sites may

Study	Year	Browser automation	Stateful crawls	Persistent profiles	Fine-grained profiles	Advanced profiles	Automated plugin support	Detect tracking login	Monitor tracking cookies	Javascript Instrumentation	Content extraction
Persistent tracking mechanisms [1]	2014	•	•	•	•	•	•	•	•		
FB Connect login permissions [45]	2014	•					•				◦
Surveillance implications of web tracking [12]	2015	•	•			•		•			
HSTS and key pinning misconfigurations [20]	2015	•	•			•	◦				•
The Web Privacy Census [4]	2015	•	•			•			•		
Geographic Variations in Tracking [15]	2015	•				•					
Analysis of Malicious Web Shells [52]	2016	•									
This study (Sections 5 & 6)	2016	•	•	•	•	•		•	•	•	

Table 1: Seven published studies from five separate research groups which utilize OpenWPM. An unfilled circle indicates that the feature was useful but application-specific programming or manual effort was still required.

expect certain capabilities that PhantomJS does not have or may attempt to access APIs using Firefox-specific names. One site, `weibo.com`, redirected PhantomJS (with either user-agent string) to an entirely different landing page than OpenWPM. In conclusion, these findings support our view that OpenWPM enables significantly more complete and realistic web measurement and tracking measurement than do stripped-down browsers like PhantomJS.

**Resource usage.** When using the headless configuration, we are able to run up to 10 stateful browser instances on an Amazon EC2 “c4.2xlarge” virtual machine<sup>6</sup>. This virtual machine costs around \$300 per month using price estimates from May 2016. Due to Firefox’s memory consumption, stateful parallel measurements are memory-limited while stateless parallel measurements are typically CPU-limited and can support a higher number of instances. On the same machine we can run 20 browser instances in parallel if the browser state is cleared after each page load.

**Generality.** Table 1 highlights the generality of the platform, where it is used to study both web privacy and web security questions, ranging from the measurement of the variation of tracking in different countries to the analyzing the deployment of HSTS.

The platform minimizes code duplication both across studies and across configurations of a specific study. For example, the Javascript monitoring instrumentation is about 340 lines of Javascript code. Each additional API monitored takes only a single additional line of code. The instrumentation necessary to measure canvas fingerprinting (Section 6.1) is just three additional lines of code, while the WebRTC measurement (Section 6.3) is just a single line of code.

<sup>6</sup><https://aws.amazon.com/ec2/instance-types/>

Similarly, the code to add support for new extensions or privacy settings is relatively low: 7 lines of code were required to support Ghostery, 8 lines of code to support HTTPS Everywhere, and 7 lines of codes to control Firefox’s cookie blocking policy.

Even measurements themselves require very little additional code on top of the platform. Each configuration listed in Table 2 requires between 70 and 108 lines of code. By comparison, the core infrastructure code and included instrumentation is over 4000 lines of code, showing that the platform saves a significant amount of engineering effort between studies.

### 3.3 Applications

Seven academic studies have been published in journals, conferences, and workshops, utilizing OpenWPM to perform a variety of web privacy and security measurements. Table 1 summarizes the advanced features of the platform each research group utilized in their measurements.

In addition to *browser automation* and HTTP data dumps, the platform has several advanced capabilities used by both our own measurements and those in other groups. Measurements can keep state, such as cookies and localStorage, within each session via *stateful measurements*, or persist this state across sessions with *persistent profiles*. Persisting state across measurements has been used to measure cookie respawning [1] and to provide seed profiles for larger measurements (Section 5). In general, stateful measurements are useful to replicate the cookie profile of a real user for tracking [4, 12] and cookie syncing analysis [1] (Section 5.6). In addition to recording state, the platform can *detect tracking cookies*.

The platform also provides programmatic control over individual components of this state such as Flash

cookies through *fine-grained profiles* as well as plug-ins via *advanced plug-in support*. Applications built on top of the platform can *monitor state changes* on disk to record access to Flash cookies and browser state. These features are useful in studies which wish to simulate the experience of users with Flash enabled [4, 15] or examine cookie respawning with Flash [1].

Beyond just monitoring and manipulating state, the platform provides the ability to capture any Javascript API call with the included *Javascript instrumentation*. This is used to measure device fingerprinting (Section 6).

Finally, the platform also has a limited ability to extract content from web pages through the *content extraction* module, and a limited ability to automatically log into websites using the Facebook Connect *automated login* capability. Logging in with Facebook has been used to study login permissions [45].

## 4 Methodology

We run measurements on the homepages of the top 1 million sites to provide a comprehensive view of web tracking and web privacy. These measurements provide updated metrics on the use of tracking and fingerprinting technologies, allowing us to shine a light onto the practices of third parties and trackers across a large portion of the web. We also explore the effectiveness of consumer privacy tools at giving users control over their online privacy.

**Measurement Configuration.** We run our measurements on a “c4.2xlarge” Amazon EC2 instance, which currently allocates 8 vCPUs and 15 GiB of memory per machine. With this configuration we are able to run 20 browser instances in parallel. All measurements collect HTTP Requests and Responses, Javascript calls, and Javascript files using the instrumentation detailed in Section 3. Table 2 summarizes the measurement instance configurations. The data used in this paper were collected during January 2016.

All of our measurements use the Alexa top 1 million site list (<http://www.alexa.com>), which ranks sites based on their global popularity with Alexa Toolbar users. Before each measurement, OpenWPM retrieves an updated copy of the list. When a measurement configuration calls for less than 1 million sites, we simply truncate the list as necessary. For each site, the browser will visit the homepage and wait until the site has finished loading or until the 90 second timeout is reached. The browser does not interact with the site or visit any other pages within the site. If there is a timeout we kill the process and restart the browser for the next page visit, as described in Section 3.1.

**Stateful measurements.** To obtain a complete picture of tracking we must carry out stateful measurements in

addition to stateless ones. Stateful measurements do not clear the browser’s profile between page visits, meaning cookie and other browser storage persist from site to site. For some measurements the difference is not material, but for others, such as cookie syncing (Section 5.6), it is essential.

Making stateful measurements is fundamentally at odds with parallelism. But a serial measurement of 1,000,000 sites (or even 100,000 sites) would take unacceptably long. So we make a compromise: we first build a *seed profile* which visits the top 10,000 sites in a serial fashion, and we save the resulting state.

To scale to a larger measurement, the seed profile is loaded into multiple browser instances running in parallel. With this approach, we can approximately simulate visiting each website serially. For our 100,000 site stateless measurement, we used the “ID Detection 2” browser profile as a seed profile.

This method is not without limitations. For example third parties which don’t appear in the top sites if the seed profile will have different cookies set in each of the parallel instances. If these parties are also involved in cookie syncing, the partners that sync with them (and appear in the seed profile) will each receive multiple IDs for each one of their own. This presents a trade-off between the size the seed profile and the number of third parties missed by the profile. We find that a seed profile which has visited the top 10,000 sites will have communicated with 76% of all third-party domains present on more than 5 of the top 100,000 sites.

**Handling errors.** In presenting our results we only consider sites that loaded successfully. For example, for the 1 Million site measurement, we present statistics for 917,261 sites. The majority of errors are due to the site failing to return a response, primarily due to DNS lookup failures. Other causes of errors are sites returning a non-2XX HTTP status code on the landing page, such as a 404 (Not Found) or a 500 (Internal Server Error).

**Detecting ID cookies.** Detecting cookies that store unique user identifiers is a key task that enables many of the results that we report in Section 5. We build on the methods used in previous studies [1, 12]. Browsers store cookies in a structured key-value format, allowing sites to provide both a *name string* and *value string*. Many sites further structure the value string of a single cookie to include a set of named parameters. We parse each cookie value string assuming the format:

$$(name_1=)value_1|…|(name_N=)value_N$$

where  $|$  represents any character except a-zA-Z0-9\_-=. We determine a (cookie-name, parameter-name, parameter-value) tuple to be an ID cookie if it meets the following criteria: (1) the cookie has an expiration date over 90 days in the future (2)  $8 \leq \text{length}(\text{parameter-value}) \leq 100$ , (3) the parameter-value



Configuration	# Sites	# Success	Timeout %	Flash Enabled	Stateful	Parallel	HTTP Data	Javascript Files	Javascript Calls	Disk Scans	Time to Crawl
Default Stateless	1 Million	917,261	10.58%		•	•	•	•			14 days
Default Stateful	100,000	94,144	8.23%	○	•	•	•	•			3.5 days
Ghostery	55,000	50,023	5.31%		•	•	•	•			0.7 days
Block TP Cookies	55,000	53,688	12.41%		•	•	•	•			0.8 days
HTTPS Everywhere	55,000	53,705	14.77%		•	•	•	•			1 day
ID Detection 1*	10,000	9,707	6.81%	•	•	•	•	•	•		2.9 days
ID Detection 2*	10,000	9,702	6.73%	•	•	•	•	•	•		2.9 days

Table 2: Census measurement configurations.

An unfilled circle indicates that a seed profile of length 10,000 was loaded into each browser instance in a parallel measurement. “# Success” indicates the number of sites that were reachable and returned a response. A Timeout is a request which fails to completely load in 90 seconds. \*Indicates that the measurements were run synchronously on different virtual machines.

remains the same throughout the measurement, (4) the parameter-value is different between machines and has a similarity less than 66% according to the Ratcliff-Obershelp algorithm [7]. For the last step, we run two synchronized measurements (see Table 2) on separate machines and compare the resulting cookies, as in previous studies.

**What makes a tracker?** Every third party is *potentially* a tracker, but for many of our results we need a more conservative definition. We use popular *tracking-protection lists* for this purpose: EasyList, EasyPrivacy, and a commercial privacy tool’s list. All three lists consist of regular expressions and URL sub-strings which are matched against resource loads to determine if a request should be blocked.

Note that we are not simply classifying domains as trackers or non-trackers, but rather classify each instance of a third party on a particular website as a tracking or non-tracking context. We consider a domain to be in the tracking context if a consumer privacy tool would have blocked that resource. Resource loads which wouldn’t have been blocked by these extensions are considered non-tracking.

While there is agreement between the extensions utilizing these lists, we emphasize that they are far from perfect. They contain false positives and especially false negatives. That is, they miss many trackers — new ones in particular. Indeed, much of the impetus for OpenWPM and our measurements comes from the limitations of manually identifying trackers. Thus, tracking-protection lists should be considered an underestimate of the set of trackers, just as considering all third parties to be trackers is an overestimate.

Finally, for readers interested in further details or in reproducing our work, we provide further methodological details in the Appendix: what constitutes distinct domains (C.1), how to detect the landing page of a

site using the data collected by OpenWPM (C.2), how we detect cookie syncing (C.3), why obfuscation of Javascript doesn’t affect our ability to detect fingerprinting (C.4), and a minor limitation of our method of instrumenting JavaScript calls (C.5).

## 5 Results of our 1-million site census

### 5.1 The long but thin tail of online tracking

During our January 2016 measurement of the Top 1 million sites, our tool made over 90 million requests, assembling the largest dataset on web tracking to our knowledge.

Our large scale allows us to answer a rather basic question: how many third parties are there? In short, a lot: the total number of third parties present on at least two first parties is over 81,000.

What is more surprising is that the prevalence of third parties quickly drops off: only 123 of these 81,000 are present on more than 1% of sites. This suggests that the number of third parties that a regular user will encounter on a daily basis is relatively small. The effect is accentuated when we consider that different third parties may be owned by the same entity. All of the top 5 third parties, as well as 12 of the top 20, are Google-owned domains. In fact, *Google, Facebook, and Twitter are the only third-party entities present on more than 10% of sites.*

Further, if we use the definition of tracking based on tracking-protection lists, as defined in Section 4, then trackers are even less prevalent. This is clear from Figure 2, which shows the prevalence of the top third parties (a) in any context and (b) only in tracking contexts. Note the absence or reduction of content-delivery domains such as `gstatic.com`, `fbcdn.net`, and `googleusercontent.com`.

These results might come as a bit of a surprise to

the reader jaded by endless reports of an explosion in third-party tracking. Our data suggest that there is a trend toward economic consolidation in the third-party ecosystem, in line with both some press [30] and some of the academic literature [16]. For the hundred or so third parties that are prevalent on 1% or more of sites, we might expect that they are large enough entities that their behavior can be regulated by public-relations pressure and the possibility of legal or enforcement actions. Indeed, measurement research has repeatedly proved capable of bringing about these outcomes [1, 6, 33].




Figure 2: Top third parties on the top 1 million sites. Not all instances of third parties are classified as tracking by our methodology, and in fact the same third party can be classified differently depending on the context. (Section 4).

## 5.2 Prominence: a metric to rank third parties

In Section 5.1 we ranked third parties by the number of first party sites they appear on. This simple count is a good first approximation, but it has two related drawbacks. A major third party that’s present on (say) 90 of the top 100 sites would have a low score if its prevalence drops off outside the top 100 sites. A related problem is that the rank can be sensitive to the number of websites visited in the measurement. Thus different studies may rank third parties differently.

We also lack a good way to compare third parties (and especially trackers) over time, both individually and in aggregate. Some studies have measured the total number of cookies [4], but we argue that this is a misleading metric, since cookies may not have anything to do with tracking.

To avoid these problems, we propose a principled metric. We start from a model of aggregate browsing behavior. There is some research suggesting that the website traffic follows a power law distribution, with the frequency of visits to the  $N^{th}$  ranked website being proportional to  $\frac{1}{N}$  [3, 21]. The exact relationship is not important to us; any formula for traffic can be plugged into our prominence metric below.

**Definition:**

$$\text{Prominence}(t) = \sum_{\text{edge}(s,t)=1} \frac{1}{\text{rank}(s)}$$

where  $\text{edge}(s,t)$  indicates whether third party  $t$  is present on site  $s$ . This simple formula measures the frequency with which an “average” user browsing according to the power-law model will encounter any given third party.

The most important property of prominence is that it de-emphasizes obscure sites, and hence can be adequately approximated by relatively small-scale measurements, as shown in Figure 3. We propose that prominence is the right metric for:

1. Comparing third parties and identifying the top third parties. We present the list of top third parties by prominence in Table 14 (in the Appendix). Prominence ranking produces interesting differences compared to ranking by a simple prevalence count. For example, Content-Distribution Networks become less prominent compared to other types of third parties.
2. Measuring the effect of tracking-protection tools, as we do in Section 5.5.
3. Analyzing the evolution of the tracking ecosystem over time and comparing between studies. The robustness of the *rank-prominence curve* (Figure 3) makes it ideally suited for these purposes.




Figure 3: Prominence of third party as a function of prominence rank. We posit that the curve for the 1M-site measurement (which can be adequately approximated by a 50k-site measurement) presents a useful aggregate picture of tracking.

## 5.3 Third parties impede HTTPS adoption

Table 3 shows the number of first-party sites that support HTTPS and the number that are HTTPS-only. Our results reveal that HTTPS adoption remains rather low despite well-publicized efforts [11]. Publishers have claimed that a major roadblock to adoption is the need to move all embedded third parties and trackers to HTTPS to avoid mixed-content errors [54, 59].

Mixed-content errors occur when HTTP sub-resources are loaded on a secure site. This poses a security problem, leading to browsers to block the resource load or warn the user depending on the content loaded [37]. *Passive* mixed content, that is, non-executable resources loaded over HTTP, cause the browser to display an insecure warning to the user (Figure 4) but still load




Figure 4: Secure connection UI for Firefox Nightly 47 and Chrome 47. The UI portrays a site with mixed content as less secure than an HTTPS site without mixed content; clicking on the lock icon in Firefox reveals the text “Connection is not secure” when mixed content is present.

	55K Sites	1M Sites
HTTP Only	82.9%	X
HTTPS Only	14.2%	8.6%
HTTPS Opt.	2.9%	X

Table 3: First party HTTPS support on the top 55K and top 1M sites. “HTTP Only” is defined as sites which fail to upgrade when HTTPS Everywhere is enabled. “HTTPS Only” are sites which always redirect to HTTPS. “HTTPS Optional” are sites which provide an option to upgrade, but only do so when HTTPS Everywhere is enabled. We carried out HTTPS-everywhere-enabled measurement for only 55,000 sites, hence the X’s.

the content. *Active* mixed content is a far more serious security vulnerability and is blocked outright by modern browsers; it is not reflected in our measurements.

**Third-party support for HTTPS.** To test the hypothesis that third parties impede HTTPS adoption, we first characterize the HTTPS support of each third party. If a third party appears on at least 10 sites and is loaded over HTTPS on all of them, we say that it is HTTPS-only. If it is loaded over HTTPS on some but not all of the, we say that it supports HTTPS. If it is loaded over HTTP on all of them, we say that it is HTTP-only. If it appears on less than 10 sites, we do not have enough confidence to make a determination.

Table 4 summarizes the HTTPS support of third party domains which appear on more than 5 sites. A large number of third-party domains are HTTP-only (54%). However, when we weight third parties by prominence, only 5% are HTTP-only. In contrast, 94% of prominence-weighted third parties support both HTTP and HTTPS. This statistic supports our thesis that consolidation of the third-party ecosystem is a plus for security and privacy.

**Impact of third-parties.** We find that a significant fraction of HTTP-default sites (26%) embed resources from third-parties which do not support HTTPS. These sites would be unable to upgrade to HTTPS without browsers displaying mixed content errors to their users, the majority of which (92%) would contain active content which would be blocked.

Similarly, of the 78,000 first-party sites that are HTTPS-only, 6,000 (7.75%) load with mixed passive content warnings. However, only 11% of these warnings

HTTPS Support	Percent	Prominence weighted %
HTTP Only	54%	5%
HTTPS Only	5%	1%
Both	41%	94%

Table 4: Third party HTTPS support. “HTTP Only” is defined as domains from which resources are only requested over HTTP across all sites on our 1M site measurement. “HTTPS Only” are domains from which resources are only requested over HTTPS. “Both” are domains which have resources requested over both HTTP and HTTPS. Results are limited to third parties embedded on at least 10 first-party sites.

Class	Top 1M % FP	Top 50k % FP
Own	25.4%	29.6%
Favicon	1.4%	2.9%
Tracking	12.2%	27.0%
CDN	1.4%	2.9%
Non-tracking	43.4%	29.6%
Multiple causes	16.2%	8.1%

Table 5: A breakdown of causes of passive mixed-content warnings on the top 1M sites and on the top 50k sites. “Non-tracking” represents third-party content not classified as a tracker or a CDN.

(650) are caused by HTTP-only third parties, suggesting that many domains may be able to mitigate these warnings by ensuring all resources are being loaded over HTTPS when available. We examined the causes of mixed content on these sites, summarized in Table 5. The majority are caused by third parties, rather than the site’s own content, with a surprising 27% caused solely by trackers.

## 5.4 News sites have the most trackers

The level of tracking on different categories of websites varies considerably — by almost an order of magnitude. To measure variation across categories, we used Alexa’s lists of top 500 sites in each of 16 categories. From each list we sampled 100 sites (the lists contain some URLs that are not home pages, and we excluded those before sampling).

In Figure 5 we show the average number of third parties loaded across 100 of the top sites in each Alexa category. Third parties are classified as trackers if they would have been blocked by one of the tracking protection lists, as discussion in Section 4.

Why is there so much variation? With the exception of the adult category, the sites on the low end of the spectrum are mostly sites which belong to government organizations, universities, and non-profit entities. This suggests that websites may be able to forgo advertising and tracking due to the presence of funding sources




Figure 5: Average number of third parties in each Alexa category.

external to the web. Sites on the high end of the spectrum are largely those which provide editorial content. Since many of these sites provide articles for free, and lack an external funding source, they are pressured to monetize page views with significantly more advertising.

## 5.5 Does tracking protection work?

Users have two main ways to reduce their exposure to tracking: the browser’s built in privacy features and extensions such as Ghostery or uBlock Origin.

Contrary to previous work questioning the effectiveness of Firefox’s third-party cookie blocking [12], we do find the feature to be effective. Specifically, only 237 sites (0.4%) have any third-party cookies set during our measurement set to block all third-party cookies (“Block TP Cookies” in Table 2). Most of these are for benign reasons, such as redirecting to the U.S. version of a non-U.S. site. We did find exceptions, including 32 that contained ID cookies. For example, there are six Australian news sites that first redirect to `news.com.au` before re-directing back to the initial domain, which seems to be for tracking purposes. While this type of workaround to third-party cookie blocking is not rampant, we suggest that browser vendors should closely monitor it and make changes to the blocking heuristic if necessary.

Another interesting finding is that when third-party cookie blocking was enabled, the average number of third parties per site dropped from 17.7 to 12.6. Our working hypothesis for this drop is that deprived of ID cookies, third parties curtail certain tracking-related requests such as cookie syncing (which we examine in Section 5.6).

We also tested Ghostery, and found that it is effective at reducing the number of third parties and ID cookies (Figure 6). The average number of third-party includes went down from 17.7 to 3.3, of which just 0.3 had third-party cookies (0.1 with IDs). We examined the prominent third parties that are not blocked and found almost all of these to be content-delivery networks like `cloudflare.com` or widgets like `maps.google.com`, which Ghostery does not try to block. So Ghostery




Figure 6: Third-party trackers on the top 55k sites with Ghostery enabled. The majority of the top third-party domains not blocked are CDNs or provide embedded content (such as Google Maps).




Figure 7: Fraction of third parties blocked by Ghostery as a function of the prominence of the third party. As defined earlier, a third party’s prominence is the sum of the inverse ranks of the sites it appears on.

works well at achieving its stated objectives.

However, the tool is less effective for obscure trackers (prominence < 0.1). We see a similar trend in the detection of fingerprinting scripts (Section 6.6); less prominent scripts are not blocked as frequently by blocking tools. This makes sense given that the block list is manually compiled and the developers are less likely to have encountered obscure trackers. It suggests that large-scale measurement techniques like ours will be useful for tool developers to minimize gaps in their coverage.

## 5.6 How common is cookie syncing?

Cookie syncing, a workaround to the Same-Origin Policy, allows different trackers to share user identifiers with each other. Besides being hard to detect, cookie syncing enables back-end server-to-server data merges hidden from public view, which makes it a privacy concern.

Our ID cookie detection methodology (Section 4) allows us to detect instances of cookie syncing. If tracker A wants to share its ID for a user with tracker B, it can do so in one of two ways: embedding the ID in the request URL to tracker B, or in the referer URL. We therefore look for instances of IDs in referer, request, and response URLs, accounting for URL encoding and other subtleties. We describe the full details of our methodology in Appendix C.3, with an important caveat

that our methodology captures both intentional and accidental ID sharing.

**Most third parties are involved in cookie syncing.** We run our analysis on the top 100,000 site stateful measurement. The most prolific cookie-syncing third party is `doubleclick.net` — it shares 108 different cookies with 118 other third parties (this includes both events where it is a referer and where it is a receiver).

More interestingly, we find that the vast majority of top third parties sync cookies with at least one other party: 45 of the top 50, 85 of the top 100, 157 of the top 200, and 460 of the top 1,000. This adds further evidence that cookie syncing is an underappreciated and under-researched privacy concern.

We also find that third parties are highly connected by synced cookies. Specifically, of the top 50 third parties that are involved in cookie syncing, the probability that a random pair will have at least one cookie in common is 85%. The corresponding probability for the top 100 is 66%.

**Implications of “promiscuous cookies” for surveillance.** From the Snowden leaks, we learnt that that NSA “piggybacks” on advertising cookies for surveillance and exploitation of targets [17, 51, 53]. How effective can this technique be? We present one answer to this question. We consider a threat model where a surveillance agency has identified a target by a third-party cookie (for example, via leakage of identifiers by first parties, as described in [12, 22, 24]). The adversary uses this identifier to coerce or compromise a third party into enabling surveillance or targeted exploitation.

We find that some cookies get synced over and over again to dozens of third parties; we call these *promiscuous cookies*. It is not yet clear to us why these cookies are synced repeatedly and shared widely. This means that if the adversary has identified a user by such a cookie, their ability to surveil or target malware to that user will be especially good. The most promiscuous cookie that we found belongs to the domain `adverticum.net`; it is synced or leaked to 82 other parties which are collectively present on 752 of the top 1,000 websites! In fact, each of the top 10 most promiscuous cookies is shared with enough third parties to cover 60% or more of the top 1,000 sites.

## 6 Fingerprinting: a 1-million site view

OpenWPM significantly reduces the engineering requirement of measuring device fingerprinting, making it easy to update old measurements and discover new techniques. In this section, we demonstrate this through several new fingerprinting measurements, two of which have never been measured at scale before, to the best of our knowledge. We show how the number of sites on

which font fingerprinting is used and the number of third parties using canvas fingerprinting have both increased by considerably in the past few years. We also show how WebRTC’s ability to discover local IPs without user permission or interaction is used almost exclusively to track users. We analyze a new fingerprinting technique utilizing `AudioContext`<sup>7</sup> found during our investigations. Finally, we discuss the use of the Battery API by two fingerprinting scripts.

Our fingerprinting measurement methodology utilizes data collected by the Javascript instrumentation described in Section 3.1. With this instrumentation, we monitor access to all built-in interfaces and objects we suspect may be used for fingerprinting. By monitoring on the interface or object level, we are able to record access to all method calls and property accesses for each interface we thought might be useful for fingerprinting. This allows us to build a detection criterion for each fingerprinting technique after a detailed analysis of example scripts.

Although our detection criteria currently have negligible low false positive rate, we recognize that this may change as new web technologies and applications emerge. However, instrumenting all properties and methods of an API provides a complete picture of each application’s use of the interface, allowing our criteria to also be updated. More importantly, this allows us to replace our detection criteria with machine learning, which is an area of ongoing work (Section 7).

Rank Interval	% of First-parties		
	Canvas	Canvas Font	WebRTC
[0,1K)	5.10%	2.50%	0.60%
[1K,10K)	3.91%	1.98%	0.42%
[10K,100K)	2.45%	0.86%	0.19%
[100K,1M)	1.31%	0.25%	0.06%

Table 6: Prevalence of fingerprinting scripts on different slices of the top sites. More popular sites are more likely to have fingerprinting scripts.

### 6.1 Canvas Fingerprinting

**Privacy threat.** The HTML Canvas allows web application to draw graphics in real time, with functions to support drawing shapes, arcs, and text to a custom canvas element. In 2012 Mowery and Schacham demonstrated how the HTML Canvas could be used to fingerprint devices [36]. Differences in font rendering, smoothing, anti-aliasing, as well as other device features cause devices to draw the image differently. This allows the resulting pixels to be used as part of a device fingerprint.

<sup>7</sup><https://developer.mozilla.org/en-US/docs/Web/API/AudioContext>

**Detection methodology.** We build on a 2014 measurement study by Acar et.al. [1]. Since that study, the canvas API has received broader adoption for non-fingerprinting purposes, so we make several changes to reduce false positives. In our measurements we record access to nearly all of properties and methods of the `HTMLCanvasElement`<sup>8</sup> interface and of the `CanvasRenderingContext2D`<sup>9</sup> interface. We filter scripts according to the following criteria:

1. The canvas element’s height and width properties must not be set below 16 px.<sup>10</sup>
2. Text must be written to canvas with least two colors or at least 10 distinct characters.
3. The script should not call the `save`, `restore`, or `addEventListener` methods of the rendering context.
4. The script extracts an image with `toDataURL` or with a single call to `getImageData` that specifies an area with a minimum size of  $16\text{px} \times 16\text{px}$ .

This heuristic is designed to filter out scripts which are unlikely to have sufficient complexity or size to act as an identifier. We manually verified the accuracy of our detection methodology by inspecting the images drawn and the source code. We found a mere 4 false positives out of 3493 scripts identified on a 1 million site measurement. Each of the 4 is only present on a single first-party.

**Results.** We found canvas fingerprinting on 14,371 (1.6%) sites. The vast majority (98.2%) are from third-party scripts. These scripts come from about 3,500 URLs hosted on about 400 domains. Table 7 shows the top 5 domains which serve canvas fingerprinting scripts ordered by the number of first-parties they are present on.

Domain	# First-parties
doubleverify.com	7806
lijit.com	2858
alicdn.com	904
audienceinsights.net	499
boo-box.com	303
407 others	2719
TOTAL	15089 (14371 unique)

Table 7: Canvas fingerprinting on the Alexa Top 1 Million sites. For a more complete list of scripts, see Table 11 in the Appendix.

Comparing our results with a 2014 study [1], we find three important trends. First, the most prominent trackers have by-and-large stopped using it, suggesting that the public backlash following that study was effective. Second, the overall number of domains employing it

<sup>8</sup><https://developer.mozilla.org/en-US/docs/Web/API/HTMLCanvasElement>

<sup>9</sup><https://developer.mozilla.org/en-US/docs/Web/API/CanvasRenderingContext2D>

<sup>10</sup>The default canvas size is  $300\text{px} \times 150\text{px}$ .

has increased considerably, indicating that knowledge of the technique has spread and that more obscure trackers are less concerned about public perception. As the technique evolves, the images used have increased in variety and complexity, as we detail in Figure 11 in the Appendix. Third, the use has shifted from behavioral tracking to fraud detection, in line with the ad industry’s self-regulatory norm regarding acceptable uses of fingerprinting.

## 6.2 Canvas Font Fingerprinting

**Privacy threat.** The browser’s font list is very useful for device fingerprinting [10]. The ability to recover the list of fonts through Javascript or Flash is known, and existing tools aim to protect the user against scripts that do that [2, 39]. But can fonts be enumerated using the Canvas interface? The only public discussion of the technique seems to be a Tor Browser Bundle ticket from 2014<sup>11</sup>. To the best of our knowledge, we are the first to measure its usage in the wild.

**Detection methodology.** The `CanvasRenderingContext2D` interface provides a `measureText` method, which returns several metrics pertaining to the text size (including its width) when rendered with the current font settings of the rendering context. Our criterion for detecting canvas font fingerprinting is: the script sets the font property to at least 50 distinct, valid values and also calls the `measureText` method at least 50 times on the same text string. We manually examined the source code of each script found this way and verified that there are zero false positives on our 1 million site measurement.

**Results.** We found canvas-based font fingerprinting present on 3,250 first-party sites. This represents less than 1% of sites, but as Table 6 shows, the technique is more heavily used on the top sites, reaching 2.5% of the top 1000. The vast majority of cases (90%) are served by a single third party, `mathtag.com`. The number of sites with font fingerprinting represents a seven-fold increase over a 2013 study [2], although they did not consider Canvas.

## 6.3 WebRTC-based fingerprinting

**Privacy threat.** WebRTC is a framework for peer-to-peer Real Time Communication in the browser, and accessible via Javascript. To discover the best network path between peers, each peer collects all available candidate addresses, including addresses from the local network interfaces (such as ethernet or WiFi) and addresses from the public side of the NAT and makes them available to

<sup>11</sup><https://trac.torproject.org/projects/tor/ticket/13400>

the web application *without explicit permission from the user*. This has led to serious privacy concerns: users behind a proxy or VPN can have their ISP’s public IP address exposed [55]. We focus on a slightly different privacy concern: users behind a NAT can have their local IP address revealed, which can be used as an identifier for tracking. A detailed description of the discovery process is given in Appendix B.

**Detection methodology.** To detect WebRTC local IP discovery, we instrument the `RTCPeerConnection`<sup>12</sup> interface prototype and record access to its method calls and property access. After the measurement is complete, we select the scripts which call the `createDataChannel` and `createOffer` APIs, and access the event handler `onIceCandidate`<sup>13</sup>. We manually verified that scripts that call these functions are in fact retrieving candidate IP addresses, with zero false positives on 1 million sites. Next, we manually tested if such scripts are using these IPs for tracking. Specifically, we check if the code is located in a script that contains other known fingerprinting techniques, in which case we label it tracking. On the other hand, if we manually assess that the code has a clear non-tracking use, we label it non-tracking. If neither of these is the case, we label the script as ‘unknown’. We emphasize that even the non-tracking scripts present the abovementioned privacy concern related to leakage of private IPs.

**Results.** We found WebRTC being used to discover local IP addresses without user interaction on 715 sites out of the top 1 million. The vast majority of these (659) were done by third-party scripts, loaded from 99 different locations. A large majority (625) were used for tracking. The top 10 scripts accounted for 83% of usage, in line with our other observations about the small number of third parties responsible for most tracking. We provide a list of scripts in Appendix Table 13.

The number of confirmed non-tracking uses of unsolicited IP candidate discovery is small, and based on our analysis, none of them is critical to the application. We therefore suggest that WebRTC IP discovery should be private by default, in contrast to the recommendation of a Working Group that recently reviewed the security and privacy concerns [55].

## 6.4 AudioContext Fingerprinting

The scale of our data gives us a new way to systematically identify new types of fingerprinting not previously reported in the literature. The key insight is that fingerprinting techniques typically aren’t used in isolation but

<sup>12</sup><https://developer.mozilla.org/en-US/docs/Web/API/RTCPeerConnection>

<sup>13</sup>Although we found it unnecessary for current scripts, instrumenting `localDescription` will cover all possible IP address retrievals.

Classification	# Scripts	# First-parties
Tracking	57	625 (88.7%)
Non-Tracking	10	40 (5.7%)
Unknown	32	40 (5.7%)

Table 8: Summary of WebRTC local IP discovery on the top 1 million Alexa sites.

rather in conjunction with each other. So we monitor known tracking scripts and look for unusual behavior (e.g., use of new APIs) in a semi-automated fashion.

Using this approach we found several fingerprinting scripts utilizing `AudioContext` and related interfaces. A manual analysis of these scripts suggest that trackers are attempting to utilize the `Audio API` to fingerprint users in multiple ways. Their use ranges from simply checking for the API’s existence to deriving a fingerprint from the underlying audio processing. We provide a live demonstration page to compute and visualize a device’s audio fingerprint at: <https://webtap.princeton.edu/audio-fp>.

In the simplest case, a script from the company *Liverail*<sup>14</sup> checks for the existence of an `AudioContext` and `OscillatorNode` to add a single bit of information to a broader fingerprint. More sophisticated scripts process an audio signal generated with an `OscillatorNode` to fingerprint the device. This technique appears conceptually similar to that of canvas fingerprinting. Audio signals processed on different machines or browsers may have slight differences due to hardware or software differences between the machines, while the same combination of machine and browser will produce the same output.

Figure 8 shows two alternate audio fingerprinting configurations found in three scripts. Both configurations process an audio signal from an `OscillatorNode`, before reading the resulting signal and hashing it to create a device audio fingerprint. Full details of the configurations are given in Appendix D.

We tested the output of the scripts on a small sample of machines, and confirmed the values returned are largely stable on the same machine and different for different machines. We did observe a couple examples of instability for the top technique of Figure 8, and several examples of collisions for machines with similar hardware for the bottom technique of Figure 8. We leave a full evaluation of the effectiveness of the technique to future work. See Figure 9 for a visualization of the tail end of the processed FFT from several browsers.

Using a follow-up measurement of the Alexa top 1 million sites from March 2016, we find that this technique is very infrequently used. The *Liverail* scripts

<sup>14</sup><https://www.liverail.com/>




Figure 8: AudioContext node configuration used to generate a fingerprint. **Top:** Used by `www.cdn-net.com/cc.js` in an AudioContext. **Bottom:** Used by `client.a.pxi.pub/*main.min.js` and `js.ad-score.com/score.min.js` in an OfflineAudioContext. Full details in Appendix D.




Figure 9: Visualization of processed `OscillatorNode` output from the fingerprinting script `https://www.cdn-net.com/cc.js` for three different browsers on the same machine. We found these values to remain constant for each browser after several checks.

are present on just 512 sites, and the remaining scripts are present on even less. The `cdn-net.com` scripts are included on 49 sites, however the audio fingerprinting section appears to be disabled. The `pxi.pub` and `ad-score.com` scripts are present and actively fingerprinting users on 12 and 6 sites respectively. This shows that, even with very low usage rates, we can successfully bootstrap off of currently known fingerprinting scripts to discover and measure new techniques.

## 6.5 Battery API Fingerprinting

As a second example of bootstrapping, we analyze the Battery Status API<sup>15</sup>, which allows a site to query the browser for the current battery level or charging status of a host device. It was previously identified as

<sup>15</sup><https://www.w3.org/TR/2016/PR-battery-status-20160329/>

a potential fingerprinting vector [41]. We discovered two fingerprinting scripts utilizing the API during our manual analysis of other fingerprinting techniques.

One script, `https://go.lynxbroker.de/eat_heartbeat.js`, retrieves the current charge level of the host device and combines it with several other identifying features. These features include the canvas fingerprint and the user’s local IP address retrieved with WebRTC as described in Section 6.1 and Section 6.3. The second script, `http://js.ad-score.com/score.min.js`, queries all properties of the BatteryManager interface, retrieving the current charging status, the charge level, and the time remaining to discharge or recharge. As with the previous script, these features are combined with other identifying features used to fingerprint a device.

## 6.6 The wild west of fingerprinting scripts

In Section 5.5 we found the various tracking protection measures to be very effective at reducing third-party tracking. In Table 9 we show how blocking tools miss many of the scripts we detected throughout Section 6, particularly those using lesser-known techniques. Although blocking tools detect the majority of instances of well-known techniques, only a fraction of the total number of scripts are detected.

Technique	Ghostery		EasyList + EasyPrivacy	
	% Scripts	% Sites	% Scripts	% Sites
Canvas	8.4%	80.5%	25.1%	88.3%
Canvas Font	10.3%	90.6%	10.3%	90.6%
WebRTC	1.9%	1.0%	4.8%	5.6%
Audio	11.1%	53.1%	5.6%	1.6%

Table 9: Percentage of fingerprinting scripts blocked by Ghostery or the combination of EasyList and EasyPrivacy for all techniques described in Section 6. Included is the percentage of sites with fingerprinting scripts on which scripts are blocked.

Fingerprinting scripts pose a unique challenge for manually curated block lists. They don’t typically change the rendering of a page and may not be included by an advertising entity. The script content may be obfuscated to the point where manual inspection is difficult and the purpose of the script unclear.

OpenWPM’s active instrumentation (see Section 3.1) detects a large number of scripts not blocked by the current privacy tools. Ghostery and a combination of EasyList and EasyPrivacy both perform similarly in their block rate. The privacy tools block canvas fingerprinting on over 80% of sites, and block canvas font fingerprinting on over 90%. However, only a fraction of the total number of scripts utilizing the techniques are blocked (between 8% and 25%) showing that less popular third



parties are missed. Lesser-known techniques, like WebRTC IP discovery and Audio fingerprinting have even lower rates of detection.




Figure 10: Fraction of fingerprinting scripts with prominence above a given level blocked by Ghostery, EasyList, or EasyPrivacy.

In fact, fingerprinting scripts with a low prominence are blocked much less frequently than those with high prominence. Figure 10 shows the fraction of scripts which are blocked by Ghostery, EasyList, or Easyprivacy for all techniques analyzed in this section. All scripts with a prominence above 0.0125 are detected and blocked by one of the blocking tools, while only 38% of those with a prominence above 0.0001 are. The long tail of fingerprinting scripts are largely unblocked by current privacy tools.

## 7 Conclusion and future work

Web privacy measurement has the potential to play a key role in keeping online privacy incursions and power imbalances in check. To achieve this potential, measurement tools must be made available broadly rather than just within the research community. In this work, we’ve tried to bring this ambitious goal closer to reality.

The analysis presented in this paper represents a snapshot of results from ongoing, monthly measurements. OpenWPM and census measurements are the first two stages of a multi-year project. We are currently working on two directions that build on the work presented here. The first is the use of machine learning to automatically detect and classify trackers. If successful, this will greatly improve the effectiveness of browser privacy tools. Today such tools use tracking-protection lists that need to be created manually and laboriously, and suffer from significant false positives as well as false negatives. Our large-scale data provide the ideal source of ground truth for training classifiers to detect and categorize trackers.

The second line of work is a web-based analysis platform that makes it easy for a minimally technically skilled analyst to investigate online tracking based on the data we make available. In particular, we are aiming

to make it possible for an analyst to save their analysis scripts and results to the server, share it, and for others to build on it.

## 8 Acknowledgements

We would like to thank Shivam Agarwal for contributing analysis code used in this study, Christian Eubank and Peter Zimmerman for their work on early versions of OpenWPM, and Gunes Acar for his contributions to OpenWPM and helpful discussions during our investigations, and Dillon Reisman for his technical contributions.

We’re grateful to numerous researchers for useful feedback: Joseph Bonneau, Edward Felten, Steven Goldfeder, Harry Kalodner, and Matthew Salganik at Princeton, Fernando Diaz and many others at Microsoft Research, Franziska Roesner at UW, Marc Juarez at KU Leuven, Nikolaos Laoutaris at Telefonica Research, Vincent Toubiana at CNIL, France, Lukasz Olejnik at INRIA, France, Tanvi Vyas at Mozilla, Chameleon developer Alexei Miagkov, Joel Reidenberg at Fordham, Andrea Matwyshyn at Northeastern, and the participants of the Princeton Web Privacy and Transparency workshop.

This work was supported by NSF Grant CNS 1526353, a grant from the Data Transparency Lab, and by Amazon AWS Cloud Credits for Research.

## References

- [1] ACAR, G., EUBANK, C., ENGLEHARDT, S., JUAREZ, M., NARAYANAN, A., AND DIAZ, C. The web never forgets: Persistent tracking mechanisms in the wild. In *Proceedings of the 21st ACM Conference on Computer and Communications Security (CCS 2014)* (2014).
- [2] ACAR, G., JUAREZ, M., NIKIFORAKIS, N., DIAZ, C., GÜRSER, S., PIESSENS, F., AND PRENEEL, B. FPDetective: dusting the web for fingerprinters. In *Proceedings of the 2013 ACM SIGSAC conference on Computer & communications security* (2013), ACM.
- [3] ADAMIC, L. A., AND HUBERMAN, B. A. Zipfs law and the internet. *Glottometrics* 3, 1 (2002), 143–150.
- [4] ALTAWHEEL I, GOOD N, H. C. Web privacy census. *Technology Science* (2015).
- [5] ANGWIN, J. What they know. The Wall Street Journal. <http://online.wsj.com/public/page/what-they-know-digital-privacy.html>, 2012.
- [6] AYENSON, M., WAMBACH, D. J., SOLTANI, A., GOOD, N., AND HOOFNAGLE, C. J. Flash cookies and privacy II: Now with HTML5 and ETag respawning. *World Wide Web Internet And Web Information Systems* (2011).
- [7] BLACK, P. E. Ratcliff/Obershelp pattern recognition. <http://xlinux.nist.gov/dads/HTML/ratcliff0bershelp.html>, December 2004.

- [8] DATTA, A., TSCHANTZ, M. C., AND DATTA, A. Automated experiments on ad privacy settings. *Proceedings on Privacy Enhancing Technologies 2015*, 1 (2015), 92–112.
- [9] DAVIS, W. KISSmetrics Finalizes Supercookies Settlement. <http://www.mediapost.com/publications/article/191409/kissmetrics-finalizes-supercookies-settlement.html>, 2013. [Online; accessed 12-May-2014].
- [10] ECKERSLEY, P. How unique is your web browser? In *Privacy Enhancing Technologies* (2010), Springer.
- [11] ELECTRONIC FRONTIER FOUNDATION. Encrypting the Web. <https://www.eff.org/encrypt-the-web>.
- [12] ENGLEHARDT, S., REISMAN, D., EUBANK, C., ZIMMERMAN, P., MAYER, J., NARAYANAN, A., AND FELTEN, E. W. Cookies that give you away: The surveillance implications of web tracking. In *Proceedings of the 24th International Conference on World Wide Web* (2015), International World Wide Web Conferences Steering Committee, pp. 289–299.
- [13] FEDERAL TRADE COMMISSION. Google will pay \$22.5 million to settle FTC charges it misrepresented privacy assurances to users of Apple’s Safari internet browser. <https://www.ftc.gov/news-events/press-releases/2012/08/google-will-pay-225-million-settle-ftc-charges-it-misrepresented>, 2012.
- [14] FIFIELD, D., AND EGELMAN, S. Fingerprinting web users through font metrics. In *Financial Cryptography and Data Security*. Springer, 2015, pp. 107–124.
- [15] FRUCHTER, N., MIAO, H., STEVENSON, S., AND BALEBAKO, R. Variations in tracking in relation to geographic location. In *Proceedings of W2SP* (2015).
- [16] GILL, P., ERRAMILI, V., CHAINTREAU, A., KRISHNAMURTHY, B., PAPAGIANNAKI, K., AND RODRIGUEZ, P. Follow the money: understanding economics of online aggregation and advertising. In *Proceedings of the 2013 conference on Internet measurement conference* (2013), ACM, pp. 141–148.
- [17] GORMAN, S., AND VALENTINO-DEVRIES, J. New Details Show Broader NSA Surveillance Reach. <http://online.wsj.com/news/articles/SB10001424127887324108204579022874091732470>, 2013.
- [18] HANNAK, A., SOELLER, G., LAZER, D., MISLOVE, A., AND WILSON, C. Measuring price discrimination and steering on e-commerce web sites. In *Proceedings of the 14th Internet Measurement Conference (IMC 2014)* (2014).
- [19] HOOFNAGLE, C. J., AND GOOD, N. Web privacy census. *Available at SSRN 2460547* (2012).
- [20] KRANCH, M., AND BONNEAU, J. Upgrading HTTPS in midair: HSTS and key pinning in practice. In *NDSS ’15: The 2015 Network and Distributed System Security Symposium* (February 2015).
- [21] KRASHAKOV, S. A., TESLYUK, A. B., AND SHCHUR, L. N. On the universality of rank distributions of website popularity. *Computer Networks* 50, 11 (2006), 1769–1780.
- [22] KRISHNAMURTHY, B., NARYSHKIN, K., AND WILLS, C. Privacy leakage vs. protection measures: the growing disconnect. In *Proceedings of the Web* (2011), vol. 2.
- [23] KRISHNAMURTHY, B., AND WILLS, C. Privacy diffusion on the web: a longitudinal perspective. In *Proceedings of the 18th international conference on World wide web* (2009), ACM.
- [24] KRISHNAMURTHY, B., AND WILLS, C. E. On the leakage of personally identifiable information via online social networks. In *Proceedings of the 2nd ACM workshop on Online social networks* (2009), ACM.
- [25] LAPERDRIX, P., RUDAMETKIN, W., AND BAUDRY, B. Beauty and the beast: Diverting modern web browsers to build unique browser fingerprints. In *37th IEEE Symposium on Security and Privacy (S&P 2016)* (2016).
- [26] LÉCUYER, M., DUCCOFFE, G., LAN, F., PAPANCEA, A., PETSIOS, T., SPAHN, R., CHAINTREAU, A., AND GEAMBASU, R. Xray: Enhancing the webs transparency with differential correlation. In *USENIX Security Symposium* (2014).
- [27] LECUYER, M., SPAHN, R., SPILIOPOLOUS, Y., CHAINTREAU, A., GEAMBASU, R., AND HSU, D. Sunlight: Fine-grained targeting detection at scale with statistical confidence. In *Proceedings of the 22nd ACM SIGSAC Conference on Computer and Communications Security* (2015), ACM, pp. 554–566.
- [28] LEYDEN, J. Sites pulling sneaky flash cookie-snoop. [http://www.theregister.co.uk/2009/08/19/flash\\_cookies/](http://www.theregister.co.uk/2009/08/19/flash_cookies/), 2009.
- [29] LIBERT, T. Exposing the invisible web: An analysis of third-party http requests on 1 million websites. *International Journal of Communication* 9, 0 (2015).
- [30] MARSHALL, J. Burst of M&A in Online Advertising as Shakeout Begins. <http://blogs.wsj.com/cmo/2015/01/07/burst-of-ma-in-online-advertising-as-shakeout-begins/>, 2015.
- [31] MATTIOLI, D. On Orbitz, Mac users steered to pricier hotels. <http://online.wsj.com/news/articles/SB10001424052702304458604577488822667325882>, 2012.
- [32] MAYER, J. R., AND MITCHELL, J. C. Third-party web tracking: Policy and technology. In *Security and Privacy (SP), 2012 IEEE Symposium on* (2012), IEEE.
- [33] McDONALD, A. M., AND CRANOR, L. F. Survey of the use of Adobe Flash Local Shared Objects to respawn HTTP cookies, a. *ISJLP* 7 (2011).
- [34] MIKIANS, J., GYARMATI, L., ERRAMILI, V., AND LAOUTARIS, N. Detecting price and search discrimination on the internet. In *Proceedings of the 11th ACM Workshop on Hot Topics in Networks* (2012), ACM.
- [35] MOHAMED, N. You deleted your cookies? think again. <http://www.wired.com/2009/08/you-deleted-your-cookies-think-again/>, 2009.
- [36] MOWERY, K., AND SHACHAM, H. Pixel perfect: Fingerprinting canvas in html5. *Proceedings of W2SP* (2012).
- [37] MOZILLA DEVELOPER NETWORK. Mixed content - Security. [https://developer.mozilla.org/en-US/docs/Security/Mixed\\_content](https://developer.mozilla.org/en-US/docs/Security/Mixed_content).
- [38] NIKIFORAKIS, N., INVERNIZZI, L., KAPRAVELOS, A., VAN ACKER, S., JOOSEN, W., KRUEGEL, C., PIESSENS, F., AND VIGNA, G. You are what you include: Large-scale evaluation of remote javascript inclusions. In *Proceedings of the 2012 ACM conference on Computer and communications security* (2012), ACM, pp. 736–747.

- [39] NIKIFORAKIS, N., KAPRAVELOS, A., JOOSEN, W., KRUEGEL, C., PIESSENS, F., AND VIGNA, G. Cookieless monster: Exploring the ecosystem of web-based device fingerprinting. In *Security and Privacy (SP), 2013 IEEE Symposium on* (2013), IEEE.
- [40] OCARIZA, F., PATTABIRAMAN, K., AND ZORN, B. Javascript errors in the wild: An empirical study. In *Software Reliability Engineering (ISSRE), 2011 IEEE 22nd International Symposium on* (2011), IEEE, pp. 100–109.
- [41] OLEJNIK, L., ACAR, G., CASTELLUCCIA, C., AND DIAZ, C. The leaking battery. *Cryptology ePrint Archive Report 2015/616* (2015).
- [42] OLEJNIK, L., CASTELLUCCIA, C., ET AL. Selling off privacy at auction. In *NDSS '14: The 2014 Network and Distributed System Security Symposium* (2014).
- [43] PHANTOM JS. Supported web standards. <http://www.webcitation.org/6hI3iptm5>, 2016.
- [44] RAFIQUE, M. Z., VAN GOETHEM, T., JOOSEN, W., HUYGENS, C., AND NIKIFORAKIS, N. Its free for a reason: Exploring the ecosystem of free live streaming services. In *NDSS '16: The 2016 Network and Distributed System Security Symposium* (2016).
- [45] ROBINSON, N., AND BONNEAU, J. Cognitive disconnect: Understanding Facebook Connect login permissions. In *Proceedings of the second edition of the ACM conference on Online social networks* (2014), ACM, pp. 247–258.
- [46] ROESNER, F., KOHNO, T., AND WETHERALL, D. Detecting and defending against third-party tracking on the web. In *9th USENIX Symposium on Networked Systems Design and Implementation* (2012).
- [47] ROESNER, F., KOHNO, T., AND WETHERALL, D. Detecting and Defending Against Third-Party Tracking on the Web. In *Symposium on Networking Systems Design and Implementation* (2012), USENIX.
- [48] SELENIUM BROWSER AUTOMATION. Selenium faq. <https://code.google.com/p/selenium/wiki/FrequentlyAskedQuestions>, 2014.
- [49] SINGEL, R. Online Tracking Firm Settles Suit Over Undeletable Cookies. <http://www.wired.com/2010/12/zombie-cookie-settlement/>, 2010.
- [50] SOLTANI, A., CANTY, S., MAYO, Q., THOMAS, L., AND HOOFNAGLE, C. J. Flash cookies and privacy. In *AAAI Spring Symposium: Intelligent Information Privacy Management* (2010).
- [51] SOLTANI, A., PETERSON, A., AND GELLMAN, B. NSA uses Google cookies to pinpoint targets for hacking. <http://www.washingtonpost.com/blogs/the-switch/wp/2013/12/10/nsa-uses-google-cookies-to-pinpoint-targets-for-hacking>, December 2013.
- [52] STAROV, O., DAHSE, J., AHMAD, S. S., HOLZ, T., AND NIKIFORAKIS, N. No honor among thieves: A large-scale analysis of malicious web shells. In *Proceedings of the 25th International Conference on World Wide Web* (2016).
- [53] THE GUARDIAN. ‘Tor Stinks’ presentation - read the full document. <http://www.theguardian.com/world/interactive/2013/oct/04/tor-stinks-nsa-presentation-document>, October 2013.
- [54] TOLLMAN, Z. Were Going HTTPS: Heres How WIRED Is Tackling a Huge Security Upgrade. <https://www.wired.com/2016/04/wired-launching-https-security-upgrade/>, 2016.
- [55] UBERTI, J., AND WEI SHIEH, G. WebRTC IP Address Handling Recommendations. <https://datatracker.ietf.org/doc/draft-ietf-rtcweb-ip-handling/>.
- [56] VAN ACKER, S., NIKIFORAKIS, N., DESMET, L., JOOSEN, W., AND PIESSENS, F. Flashover: Automated discovery of cross-site scripting vulnerabilities in rich internet applications. In *Proceedings of the 7th ACM Symposium on Information, Computer and Communications Security* (2012), ACM, pp. 12–13.
- [57] VAN GOETHEM, T., PIESSENS, F., JOOSEN, W., AND NIKIFORAKIS, N. Clubbing seals: Exploring the ecosystem of third-party security seals. In *Proceedings of the 2014 ACM SIGSAC Conference on Computer and Communications Security* (2014), ACM, pp. 918–929.
- [58] VISSERS, T., NIKIFORAKIS, N., BIELOVA, N., AND JOOSEN, W. Crying wolf? on the price discrimination of online airline tickets. HotPETS, 2014.
- [59] WAZER, W. V. Moving the Washington Post to HTTPS. <https://developer.washingtonpost.com/pb/blog/post/2015/12/10/moving-the-washington-post-to-https/>, 2015.
- [60] XING, X., MENG, W., DOOZAN, D., FEAMSTER, N., LEE, W., AND SNOEREN, A. C. Exposing inconsistent web search results with bobble. In *Passive and Active Measurement* (2014), Springer, pp. 131–140.
- [61] YUE, C., AND WANG, H. A measurement study of insecure javascript practices on the web. *ACM Transactions on the Web (TWEB)* 7, 2 (2013), 7.
- [62] ZARRAS, A., KAPRAVELOS, A., STRINGHINI, G., HOLZ, T., KRUEGEL, C., AND VIGNA, G. The dark alleys of madison avenue: Understanding malicious advertisements. In *Proceedings of the 2014 Conference on Internet Measurement Conference* (2014), ACM, pp. 373–380.

## Appendices

### A HTTPS Mixed Content Classification

To classify URLs in the HTTPS mixed content analysis, we used the block lists described in Section 4. Additionally, we include a list of CDNs from the WebPagetest Project<sup>16</sup>. The mixed content URL is then classified according to the first rule it satisfies in the following list:

1. If the requested domain matches the landing page domain, and the request URL ends with `favicon.ico` classify as a “favicon”.
2. If the requested domain matches the landing page domain, classify as the site’s “own content”.
3. If the requested domain is marked as “should block” by the blocklists, classify as “tracker”.

<sup>16</sup><https://github.com/WPO-Foundation/webpagetest>



Figure 11: Sample canvas fingerprinting images. These three images represent the final canvas images created by fingerprinting scripts, which are subsequently hashed and used to identify the device.

4. If the requested domain is in the CDN list, classify as “CDN”.
5. Otherwise, classify as “non-tracking” third-party content.

## B WebRTC ICE Candidate Generation

It is possible for a Javascript web application to access ICE candidates, and thus access a user’s local IP addresses and public IP address, without explicit user permission. Although a web application must request explicit user permission to access audio or video through WebRTC, the framework allows a web application to construct an `RTCDataChannel` without permission. By default, the data channel will launch the ICE protocol and thus enable the web application to access the IP address information without any explicit user permission. Both users behind a NAT and users behind a VPN/proxy can have additional identifying information exposed to websites without their knowledge or consent.

Several steps must be taken to have the browser generate ICE candidates. First, a `RTCDataChannel` must be created as discussed above. Next, the `RTCPeerConnection.createOffer()` must be called, which generates a `Promise` that will contain the session description once the offer has been created. This is passed to

Content-Type	Count
binary/octet-stream	8
image/jpeg	12664
image/svg+xml	177
image/x-icon	150
image/png	7697
image/vnd.microsoft.icon	41
text/xml	1
audio/wav	1
application/json	8
application/pdf	1
application/x-www-form-urlencoded	8
application/unknown	5
audio/ogg	4
image/gif	2905
video/webm	20
application/xml	30
image/bmp	2
audio/mpeg	1
application/x-javascript	1
application/octet-stream	225
image/webp	1
text/plain	91
text/javascript	3
text/html	7225
video/ogg	1
image/*	23
video/mp4	19
image/pjpeg	2
image/small	1
image/x-png	2

Table 10: Counts of responses with given Content-Type which cause mixed content errors. NOTE: Mixed content blocking occurs based on the tag of the initial request (e.g. `image src` tags are considered passive content), not the response Content-Type. Thus it is likely that the Javascript and other active content loads listed above are the result of misconfigurations and mistakes that will be dropped by the browser. For example, requesting a Javascript file with an image tag.

`RTCPeerConnection.setLocalDescription()`, which triggers the gathering of candidate addresses. The prepared offer will contain the supported configurations for the session, part of which includes the IP addresses gathered by the ICE Agent.<sup>17</sup> A web application can retrieve these candidate IP addresses by using the event handler `RTCPeerConnection.onicecandidate()` and retrieving the candidate IP address from the `RTCPeerConnectionIceEvent.candidate` or, by parsing the resulting Session Description Protocol (SDP)<sup>18</sup> string from

<sup>17</sup><https://w3c.github.io/webrtc-pc/#widl-RTCPeerConnection-createOffer-Promise-RTCSessionDescription--RTCOfferOptions-options>  
<sup>18</sup><https://tools.ietf.org/html/rfc3264>

`RTCPeerConnection.localDescription` after the offer generation is complete. In our study we only found it necessary to instrument `RTCPeerConnection.onicecandidate()` to capture all current scripts.

## C Additional methodological details

All measurements are run with Firefox version 41. The Ghostery measurements use version 5.4.10 set to block all possible bugs and cookies. The HTTPS Everywhere measurement uses version 5.1.0 with the default settings. The Block TP Cookies measurement sets the Firefox setting to “block all third-party cookies”

### C.1 Classifying Third-party content

In order to determine if a request is a first-party or third-party request, we utilize the URL’s “public suffix + 1” (or PS+1). A public suffix is “is one under which Internet users can (or historically could) directly register names. [Examples include] .com, .co.uk and pvt.k12.ma.us.” A PS+1 is the public suffix with the section of the domain immediately preceding it (not including any additional subdomains). We use Mozilla’s Public Suffix List<sup>19</sup> in our analysis. We consider a site to be a potential third-party if the PS+1 of the site does not match the landing page’s PS+1 (as determined by the algorithm in Appendix C.2). Throughout the paper we use the word “domain” to refer to a site’s PS+1.

### C.2 Detection of landing pages from HTTP data

Upon visiting a site, the browser may either be redirected by a response header (with a 3XX HTTP response code or “Refresh” field), or by the page content (with javascript or a “Refresh” meta tag). Several redirects may occur before the site arrives at its final landing page and begins to load the remainder of the content. To capture all possible redirects we use the following recursive algorithm, starting with the initial request to the top-level site. For each request:

1. If HTTP redirect, following it preserving referrer details from previous request.
2. If the previous referrer is the same as the current we assume content has started to load and return the current referrer as the landing page.
3. If the current referrer is different from the previous referrer, and the previous referrer is seen in future requests, assume it is the actual landing page and return the previous referrer.

<sup>19</sup><https://publicsuffix.org/>

4. Otherwise, continue to the next request, updating the current and previous referrer.

This algorithm has two failure states: (1) a site redirects, loads additional resources, then redirects again, or (2) the site has no additional requests with referrers. The first failure mode will not be detected, but the second will be. From manual inspection, the first failure mode happens very infrequently. For example, we find that only 0.05% of sites are incorrectly marked as having HTTPS as a result of this failure mode. For the second failure mode, we find that we can’t correctly label the landing pages of 2973 first-party sites (0.32%) on the top 1 million sites. For these sites we fall back to the requested top-level URL.

### C.3 Detecting Cookie Syncing

We consider two parties to have cookie synced if a cookie ID appears in specific locations within the *referrer*, *request*, and *location* URLs extracted from HTTP request and response pairs. We determine cookie IDs using the algorithm described in Section 4. To determine the *sender* and *receiver* of a synced ID we use the following classification, in line with previous work [1, 42]:

- If the ID appears in the *request* URL: the requested domain is the recipient of a synced ID.
- If the ID appears in the *referrer* URL: the referring domain is the sender of the ID, and the requested domain is the receiver.
- If the ID appears in the *location* URL: the original requested domain is the sender of the ID, and the redirected location domain is the receiver.

This methodology does not require reverse engineering any domain’s cookie sync API or URL pattern. An important limitation of this generic approach is the lack of discrimination between intentional cookie syncing and accidental ID sharing. The latter can occur if a site includes a user’s ID within its URL query string, causing the ID to be shared with all third parties in the referring URL.

The results of this analysis thus provide an accurate representation of the privacy implications of ID sharing, as a third party has the technical capability to use an unintentionally shared ID for any purpose, including tracking the user or sharing data. However, the results should be interpreted only as an upper bound on cookie syncing as the practice is defined in the online advertising industry.

### C.4 Detection of Fingerprinting

Javascript minification is used to reduce the size of a file for transit. Additionally, Javascript files can be obfuscated, such that the majority of the script is stored in

one or several obfuscated strings which are transformed and evaluated at run time using various string operations and the `eval` function. This makes static analysis difficult, if not impossible, for these scripts, as the script can't be re-constructed without executing the bundled parser. Anecdotally, we have found that obfuscation is not uncommon in fingerprinting and tracking scripts, motivating the use of a dynamic approach. With our detection methodology, we intercept and record access to specific Javascript objects, which is not hindered by minification or obfuscation of the source code.

The methodology builds on that used by Acar, et.al. [1] to detect canvas fingerprinting. Using the Javascript calls instrumentation described in Section 3.1, we record access to specific APIs which have been found to be used to fingerprint the browser. Each time an instrumented object is accessed, we record the full context of the access: the URL of the calling script, the top-level url of the site, the property and method being accessed, any provided arguments, and any properties set or returned. For each fingerprinting method, we design a detection algorithm which takes the context as input and returns a binary classification of whether or not a script uses that method of fingerprinting when embedded on that first-party site.

When manual verification is necessary, we have two approaches which depend on the level of script obfuscation. If the script is not obfuscated we manually inspect the copy which was archived according to the procedure discussed in Section 3.1. If the script is obfuscated beyond inspection, we embed a copy of the script in isolation on a dummy HTML page and inspect it using the Firefox Javascript Deobfuscator<sup>20</sup> extension. We also occasionally spot check live versions of sites and scripts, falling back to the archive when there are discrepancies.

## C.5 Instrumenting JavaScript calls

Our instrumentation of JavaScript calls relies on overriding of getters and setters for all properties and methods of each instrumented object. The scripts being measured run at the same privilege level, so they might erase or override our instrumentation changes, preventing us from recording access to the object. Similarly, the script could first check if a custom getter is present before executing any fingerprinting code.

However, this would in turn be detectable since we would observe access to the `__define{G,S}etter__` or `__lookup{G,S}etter__` methods for the object in question and could investigate the cause. In our 1 million site measurement, we only observe script access to getters or setters for `HTMLCanvasElement` and `CanvasRenderingContext2D` interfaces. All of

<sup>20</sup><https://addons.mozilla.org/en-US/firefox/addon/javascript-deobfuscator/>

these are benign accesses from 47 scripts total, with the majority related to an HTML canvas graphics library.

## D AudioContext Fingerprinting Configuration

Figure 8 in Section 6.4 summarizes the two audio fingerprinting configurations found in the wild.

The top configuration, used by a single script (`*.cdn-net.com/cc.js`), utilizes `AudioContext` to generate a fingerprint. First, the script generates a triangle wave using an `OscillatorNode`. This signal is passed through an `AnalyserNode` and a `ScriptProcessorNode` (omitted from Figure 8). Finally, the signal is passed into a through a `GainNode` with gain set to zero to mute any output before being connect to the `AudioContext`'s destination (e.g. the computer's speakers). The `AnalyserNode` provides access to a Fast Fourier Transform (FFT) of the audio signal, which is captured using the `onaudioprocess` event handler added by the `ScriptProcessorNode`. The resulting FFT is fed into a hash and used as a fingerprint.

The bottom configuration, used by two scripts (`client.a.pxi.pub/*/main.min.js` and `http://js.ad-score.com/score.min.js`), uses a similar technique as the previous script with two notable differences. The scripts use a `DynamicsCompressorNode`, possibly to increase differences in processed audio between machines. Rather than access the FFT of a muted stream, it uses `OfflineAudioContext`, which outputs the processed audio to a buffer available to the script. This removes the need for an `AnalyserNode`, `GainNode`, or `ScriptProcessorNode`. The script uses a hash of the sum of values from the buffer as the fingerprint.

Fingerprinting Script	Count
cdn.doubleverify.com/dvtp_src_internal24.js	4588
cdn.doubleverify.com/dvtp_src_internal23.js	2963
ap.lijit.com/sync	2653
cdn.doubleverify.com/dvbs_src.js	2093
rtbcdn.doubleverify.com/bsredirect5.js	1208
g.alicdn.com/alilog/mlog/aplus_v2.js	894
static.audienceinsights.net/t.js	498
static.boo-box.com/javascripts/embed.js	303
admicro1.vcmedia.vn/core/fipmin.js	180
c.imedia.cz/js/script.js	173
ap.lijit.com/www/delivery/fp	140
www.lijit.com/delivery/fp	127
s3-ap-southeast-1.amazonaws.com/af-bdaz/bquery.js	118
d38nbbai6u794i.cloudfront.net/*/platform.min.js	97
voken.eyereturn.com/	85
p8h7t6p2.map2.ssl.hwcdn.net/fp/Scripts/PixelBundle.js	72
static.fraudmetrix.cn/fm.js	71
e.e701.net/cpc/js/common.js	56
tags.bkrtx.com/js/bk-coretag.js	56
dt617kogtco.cloudfront.net/sauce.min.js	55
685 others	1853
	18283
TOTAL	14371 unique <sup>1</sup>

Table 11: Canvas fingerprinting scripts on the top Alexa 1 Million sites.  
\*: Some URLs are truncated for brevity.  
1: Some sites include fingerprinting scripts from more than one domain.

Fingerprinting script	# of sites	Text drawn into the canvas
mathid.mathtag.com/device/id.js		
mathid.mathtag.com/d/i.js	2941	mmmmmmmmmmlli
admicro1.vcmedia.vn/core/fipmin.js	243	abcdefghijklmnopqr[snip]
*.online-metrix.net <sup>1</sup>	75	gMcdefghijklmnopqrstuvwxyz0123456789
pixel.infernotions.com/pixel/	2	mmmmmmmmmmMMMMMMMMM=llllllllll“.
api.twisto.cz/v2/proxy/test*	1	mmmmmmmmmmlli
go.lynxbroker.de/eat_session.js	1	mimimimimimi[snip]
TOTAL	3263 (3250 unique <sup>2</sup> )	-

Table 12: Canvas font fingerprinting scripts on the top Alexa 1 Million sites.  
\*: Some URLs are truncated for brevity.  
1: The majority of these inclusions were as subdomain of the first-party site, where the DNS record points to a subdomain of online-metrix.net.  
2: Some sites include fingerprinting scripts from more than one domain.

Fingerprinting Script	First-party Count	Classification
cdn.augur.io/augur.min.js	147	Tracking
click.sabavision.com/*/jsEngine.js	115	Tracking
static.fraudmetrix.cn/fm.js	72	Tracking
*.hwcdn.net/fp/Scripts/PixelBundle.js	72	Tracking
www.cdn-net.com/cc.js	45	Tracking
scripts.poll-maker.com/3012/scpolls.js	45	Tracking
static-hw.xvideos.com/vote/displayFlash.js	31	Non-Tracking
g.alicdn.com/security/umscript/3.0.11/um.js	27	Tracking
load.instinctiveads.com/s/js/afp.js	16	Tracking
cdn4.forter.com/script.js	15	Tracking
socauth.privatbank.ua/cp/handler.html	14	Tracking
retailautomata.com/ralib/magento/raa.js	6	Unknown
live.activeconversion.com/ac.js	6	Tracking
olui2.fs.ml.com/publish/ClientLoginUI/HTML/cc.js	3	Tracking
cdn.geocomply.com/101/gc-html5.js	3	Tracking
retailautomata.com/ralib/shopifynew/raa.js	2	Unknown
2nyan.org/animal/	2	Unknown
pixel.infernotions.com/pixel/	2	Tracking
167.88.10.122/ralib/magento/raa.js	2	Unknown
80 others present on a single first-party	80	-
TOTAL	705	-

Table 13: WebRTC Local IP discovery on the Top Alexa 1 Million sites.

\*: Some URLs are truncated for brevity.

Site	Prominence	# of FP	Rank Change
doubleclick.net	6.72	447,963	+2
google-analytics.com	6.20	609,640	-1
gstatic.com	5.70	461,215	-1
google.com	5.57	397,246	0
facebook.com	4.20	309,159	+1
googlesyndication.com	3.27	176,604	+3
facebook.net	3.02	233,435	0
googleadservices.com	2.76	133,391	+4
fonts.googleapis.com	2.68	370,385	-4
scorecardresearch.com	2.37	59,723	+13
adnxs.com	2.37	94,281	+2
twitter.com	2.11	143,095	-1
fbcdn.net	2.00	172,234	-3
ajax.googleapis.com	1.84	210,354	-6
yahoo.com	1.83	71,725	+5
rubiconproject.com	1.63	45,333	+17
openx.net	1.60	59,613	+7
googletagservices.com	1.52	39,673	+24
mathtag.com	1.45	81,118	-3
advertising.com	1.45	49,080	+9

Table 14: Top 20 third-parties on the Alexa top 1 million, sorted by prominence. The number of first-party sites each third-party is embedded on is included. Rank change denotes the change in rank between third-parties ordered by first-party count and third-parties ordered by prominence.